



THE HUNTER RIVER CO.

NEW!

VITAMIN ADE

INJECTION FOR CATTLE, SHEEP & PIGS

IMPROVED HEALTH & WELLBEING

For treating and preventing vitamin A, D & E deficiencies in cattle, sheep and swine to improve or maintain health and wellbeing.

ACTIVE CONSTITUENTS:

1mL contains 294.0mg Retinol Palmitate (Vit A), 1.25mg Cholecalciferol (Vit D3), and 50.0mg Alfa Tocopherol Acetate (Vit E).

Vitamin ADE Injection For Cattle, Sheep & Pigs provides the essential vitamins A, D and E that help an animal flourish.

WHY IS VITAMIN A, D3 & E IMPORTANT:

Vitamin A

- » Helps maintain normal vision, skin, bones and muscles.
- » Helps maintain normal growth processes.
- » Aids normal reproduction performance.
- » Helps maintain the integrity of skin and mucous membranes.
- » Helps improve an animal's weight gain.

Vitamin D

- » Aids the absorption of calcium & phosphorous.
- » Aids the normal growth and health of bones and teeth.
- » Improves an animal's appetite and metabolism.

Vitamin E

- » Boosts the immune system keeping the animal in top health.
- » It is an antioxidant.

Vitamin ADE Injection can be used on cattle, sheep and pigs. For best results, the product should be used twice a year in good seasons and at least three times a year in drier seasons.

FEATURES & BENEFITS:

- » Is oil based and high viscosity = zero site reactions & extremely quick absorption.
- » Meets quality control of the highest level & has lowest endotoxin count – purest solution on the market.
- » The first line of defence against harmful microorganisms.
- » Ensures calcium and phosphorus absorption for strong bones.
- » Improves an animal's reproductive tract.
- » Helps improve an animal's weight gain.
- » Boosts the immune system, keeping the animal in top health.
- » Improves an animal's appetite and metabolism.
- » Provides optimal levels of Vitamin A, D3 & E.

DOSAGE & ADMINISTRATION:

Intramuscular Injection only. Use the contents of this vial within six months of first broaching the vial. Discard the unused portion.

TARGET SPECIES	DOSE	TREATMENT INTERVALS & TIMES
COWS	5 mL	At least twice per year and 30 days prior to calving
CALVES	1 mL	During the first week after birth
SHEEP	1 – 2 mL	At least twice per year
LAMBS	0.5 mL	As soon as possible after birth
PIGS	2 – 3 mL	Sows: One injection upon placement in farrowing house and a second injection during the first week after farrowing
		Boars: One injection 1-2 weeks prior to breeding season
PIGLET	0.25 – 0.5 mL	During the first week after birth

WITHHOLDING PERIODS:

Not applicable when used as directed.

GENERAL DIRECTIONS:

Avoid Carcase Damage

1. Sterilise all injection apparatus by boiling before use. Avoid use of strong disinfectants on apparatus.
2. Maintain cleanliness at all times.
3. Keep needles sharp and clean. Replace frequently.

500 mL

